



presto Universal Primer is a professional, quick-drying primer, based on a combination of acrylic resins and high-quality pigments. Coatable with air-drying acrylic-, synthetic and nitro-combi lacquers. For metal, wood, ceramics, stone, carton, paper and others.
 Colour grey for all blue, green, golden and silver top coats.
 Colour red for all dark-red top coats.
 Colour white for all very bright top coats.

Ord.-no: 428917, 218200, 218217, 288913

Quality & properties

Especially high filling power
 Promotes best adhesion of the top coat on the subsoil
 Fast drying
 Good flow, smooth surface
 Protects from corrosion
 Grants the economical application of the top coat
 Optimizes the gloss of the top coat
 Especially user-friendly due to durable quality, which is easy to apply and easy to sand and re-coat
 Suitable for indoors and outdoors applications

Physical & chemical data

Base: Acrylic resin
 Colourname:
 ◦ grey
 ◦ white
 ◦ red
 ◦ black
 Smell: Characteristic
 Degree of gloss: mat, 10 ±2
 Efficiency: 500 ML – 1 m²
 Dust dry: 15 min
 Dry to touch: 30 min
 Completely dry: 2 - 4 h
 Overcoatable: 2 - 4 h
 Surfaces: metal, wood, ceramic, stone, carton, paper
 Minimum Working Temperature: 10 °C
 Maximum Working Temperature: 30 °C
 Flash point: n.a.
 Storage stability: 10 years
 Content: 500 ML

How to use

Derust, sand and clean the surface to be painted. Apply putty if necessary.
The surface must be clean, dry, rust and grease free.
Shake can for 2 minutes before use.
Test spray at an invisible spot.
Equalize small dents and porous putty spots by spraying and sanding several times.
Spray distance approx. 25 cm.
After drying (approx. 2-4 hours), wet-sand with sandpaper (grain 600), clean the surface and let it dry.
Afterwards apply the top coat.
Coatable with synthetic or acrylic lacquers. Do not spray over synthetic lacquers!

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of January 26, 2026 – This release replaces all eventually earlier issued versions.