

presto Contact Cleaner

Technical Information



presto Contact Cleaner is a high-quality cleaner that ensures long-lasting conductivity for contacts.

Application areas:

- Car and motorbike wiring and contacts
- Print boards, electrical circuits, printing plates, contacts, plugs,
- TV, radio, tools, stereos

Ord.-no: 306192

Quality & properties

- Removes dirt and oxidation
- Powerful cleaner without leaving a residue
- Moisture repellent
- Powerful, directed jet spray
- Sprayable from any angle due to a special 360° valve
- Corrosion protection
- Non conductive
- Non corrosive

Physical & chemical data

- Base: Aliphatic hydrocarbons with alcohol
- Colourname: transparent
- Smell: Characteristic
- Surfaces: electrical connection
- Minimum Working Temperature: 5 °C
- Maximum Working Temperature: 30 °C
- Flash point: n.a. °C
- Storage stability: 10 years
- Content: 400 ML

How to use

- Bring the can to room temperature.
- Operating temperature 5° to 30°C.
- Switch off electronic and electrical equipment before use so that there is no current at all.
- Shake can for 2 minutes before use.
- Spray the parts to be cleaned with presto Contact Cleaner.
- After cleaning wait to all combustible solvent steam has disappeared (after 15 minutes at least).
- Only then turn on equipment.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of January 26, 2026 – This release replaces all eventually earlier issued versions.